

Fig. 1




Fig. 2A




Fig. 2B




Fig. 2C

260

	Address 502	Home 504	Mode 506
510A	A	Client 3	PTP
510B	B	Client 3	BC
510C	C	Client 1	PTP
510D	D	Client 4	PTP
510E	E	Client 3	BC
510F	F	Client 2	BC
510G	G	Client 5	PTP
	.	.	.
	.	.	.
	.	.	.

Fig. 3

220A

Address <u>602</u>	Client 1 <u>604</u>	Client 2 <u>606</u>	Client 3 <u>608</u>	Client 4 <u>610</u>	Client 5 <u>612</u>	Owner <u>614</u>
620A → Aa	—	—	M	—	—	Client 3
620B → Ab	—	—	M	—	—	Client 3
620C → Ac	—	—	M	—	—	Client 3
620D → Ad	M	—	S	S	—	Client 1
620E → Ae	S	—	S	S	—	None
620F → Af	S	—	O	—	—	Client 3
620G → Ag	—	—	—	M	—	Client 4
	⋮	⋮	⋮	⋮	⋮	⋮

Fig. 4




Fig. 5




Fig. 6




Fig. 7

Processing Subsystem 142A




Fig. 8A




Fig. 8B




Fig. 8C




Fig. 8D




Fig. 9